


3000/5102	Complete assembly	Weight 3kg/6.6lb
<i>Comprises of:</i>		
3000/56241	Ratchet + anchor strap + chassis hook	
3000/56260	Strap (10m) + chassis hook	
	Working length	= 10m
	Anchor length	= 1500mm
	Ultimate tensile strength	= 5000kg
	Load capacity	= 2000daN
3000/5811	305mm (12") Wear sleeve (sold seperately)	




3000/5103	Complete assembly	Weight 2.72kg/6lb
<i>Comprises of:</i>		
3000/56251	Ratchet + anchor strap + delta ring	
3000/56261	Strap (10m) + delta ring	
	Working length	= 10m
	Anchor length	= 500mm
	Ultimate tensile strength	= 5000kg
	Load capacity	= 2000daN
3000/5811	305mm (12") Wear sleeve (sold seperately)	




3000/5104	Complete assembly	Weight 3.1kg/6.8lb
<i>Comprises of:</i>		
3000/56242	Ratchet + anchor strap + claw hook	
3000/5626	Strap (10m) + claw hook	
	Working length	= 10m
	Anchor length	= 1500mm
	Ultimate tensile strength	= 5000kg
	Load capacity	= 2000daN
3000/5811	305mm (12") Wear sleeve (sold seperately)	



3000/5180	Complete assembly	Weight 2.8kg/6.2lb
<i>Comprises of:</i>		
3000/56250	Ratchet + anchor strap + claw hook	
3000/56268	Strap (8m) + claw hook	
	Working length	= 8m
	Anchor length	= 500mm
	Ultimate tensile strength	= 5000kg
	Load capacity	= 2000daN
3000/5811	305mm (12") Wear sleeve (sold seperately)	



3000/5182	Complete assembly	Weight 2.5kg/5.5lb
<i>Comprises of:</i>		
3000/56251	Ratchet + anchor strap + delta ring	
3000/56267	Strap (8m) + delta ring	
	Working length	= 8m
	Anchor length	= 500mm
	Ultimate tensile strength	= 5000kg
	Load capacity	= 2000daN
3000/5811	305mm (12") Wear sleeve (sold seperately)	





3000/5183	Complete assembly	Weight 2.5kg/5.5lb
<i>Comprises of:</i>		
3000/581	Ratchet buckle	
3000/5803	Chassis hook (2 supplied)	
	Working length	= 8m
	Anchor length	= 1500mm
	Ultimate tensile strength	= 5000kg
	Load capacity	= 2000daN
3000/5811	305mm (12") Wear sleeve (sold seperately)	



3000/5331	Complete assembly	Weight 700g/1.5lb
<i>Comprises of:</i>		
3000/586	Overcentre buckle	
3000/5861	Claw hook (2 supplied)	
3000/5883	Pull ring on tail	
3000/5732	Red webbing, 50mm wide	
	Working length	= 3m
	Anchor length	= 900mm
	Ultimate tensile strength	= 700kg
	Load capacity	= 350daN



3000/5332	Complete assembly	Weight 800g/1.8lb
<i>Comprises of:</i>		
3000/584	Overcentre buckle c/w safety lock	
3000/5861	Claw hook (2 supplied)	
3000/5883	Pull ring on tail	
3000/5732	Red webbing, 50mm wide	
	Working length	= 3m
	Anchor length	= 900mm
	Ultimate tensile strength	= 700kg
	Load capacity	= 350daN



3000/5339	Complete assembly	Weight 620g/1.4lb
<i>Comprises of:</i>		
3000/586	Overcentre buckle	
3000/5861	Claw hook (2 supplied)	
3000/573	Black webbing, 47mm wide	
	Working length	= 2.75m
	Anchor length	= 900mm
	Ultimate tensile strength	= 700kg
	Load capacity	= 350daN



CURTAIN SIDED VEHICLE STRAP		
<i>For vertical use:</i>		
3000/5441	Complete assembly	Weight 1.1Kg/2.4lb
<i>Comprises of:</i>		
Overcentre buckle		
Closed rave hook (bottom)		
Flat snap-hook (top)		
Black webbing, 50mm wide c/w three bar adjuster.		
	Working length	= 4.25m
	Anchor length	= 3.6m
	Ultimate tensile strength	= 700kg
	Load capacity	= 350daN
3000/5849	Ø75mm welded ring, (supplied seperately).	

CURTAIN SIDED VEHICLE STRAP		
<i>For vertical use:</i>		
3000/5511	Complete assembly	Weight 520g/1.2lb
<i>Comprises of:</i>		
3000/586	Overcentre buckle	
3000/5865	Closed rave hook (bottom), stitched loop (top)	
3000/573	Black webbing, 47mm wide	
	<i>Working length</i>	<i>= 1m</i>
	<i>Anchor length</i>	<i>= 150mm</i>
	<i>Ultimate tensile strength</i>	<i>= 700kg</i>
	<i>Load capacity</i>	<i>= 350daN</i>



REPLACEMENT TENSION END		
3000/5521	Complete assembly	Weight 520g/1.2lb
<i>Comprises of:</i>		
3000/5865	Closed rave hook	
3000/573	Black webbing, 47mm wide	
	<i>Working length</i>	<i>= 1m</i>
	<i>Load capacity</i>	<i>= 350kg</i>



3000/5645	Complete assembly	Weight 80g/2.8oz
<i>Comprises of:</i>		
3000/5875	Die-cast, cam action buckle.	
3000/5763	Black webbing, 25mm wide	
	<i>Working length</i>	<i>= 1m</i>
	<i>Load capacity</i>	<i>= 400kg</i>



3000/56491	Complete assembly	Weight 160g/5.6oz
<i>Comprises of:</i>		
3000/5876	Die-cast, cam action buckle.	
3000/5762	Blue webbing, 25mm wide	
	<i>Working length</i>	<i>= 2500mm</i>
	<i>Ultimate tensile strength</i>	<i>= 500kg</i>
	<i>Load capacity</i>	<i>= 250daN</i>



3000/56402	Complete assembly	Weight 520g/1.2lb
<i>Comprises of:</i>		
3000/587	Ratchet	
3000/5762	Blue webbing, 25mm wide	
3000/5886	Narrow claw hook, 25mm	
	<i>Working length</i>	<i>= 3.0 m</i>
	<i>Anchor length</i>	<i>= 500mm</i>
	<i>Ultimate tensile strength</i>	<i>= 800kg</i>
	<i>Load capacity</i>	<i>= 400daN</i>

