



9800/2056

2073/002

SLAM LOCK

Zinc plated.
8mm spindle required.

	A	B	C	D	E	F	G	H
9800/2056					Weight 260g/9.2oz			
METRIC (mm)	68.0	86.0	19.0	11.0	8.00	5.00	24.0	
IMPERIAL (ins)	2.68	3.40	0.75	0.43	0.32	0.20	0.95	
2073/002					Weight 190g/6.7oz			
METRIC (mm)	60.0	80.0	15.0	16.0	8.00	8.50	33.0	
IMPERIAL (ins)	2.36	3.15	0.59	0.63	0.32	0.35	1.30	



5589/225 left hand shown.

SLAM LATCH

Zinc plated.
(Left hand shown,
Clockwise to open).
8mm spindle required.

	A	B	C	D	E	F	G	H
5589/224	RH, with safety latch				Weight 240g/8.5oz			
5589/225	LH, with safety latch							
5589/226	RH, no safety latch							
5589/227	LH, no safety latch							
METRIC (mm)	95.3	61.0	15.8	67.3	15.8	76.2	43.2	5.0
IMPERIAL (ins)	3.75	2.40	0.62	2.65	0.62	3.00	1.70	0.20



9500/1000 left hand shown.

SLAM LOCK

Self colour, zinc-alloy,
die-cast, for 8mm
follower, 15° max.
operation. (see Tri/mark
range, end of
section D).

	A	B	C	D	E	F	G	H
9500/1000	Left hand (shown)				Weight 260g/9.2oz			
9500/1001	Right hand							
METRIC (mm)	50.8	88.9	21.7	19.1	16.0	11.4	6.60	9.50
IMPERIAL (ins)	2.00	3.50	0.85	0.75	0.63	0.45	0.26	0.37

PLANT-ON, SLAM LOCK

Zinc plated pressed steel case with malleable iron tongue. Plastic dip-coated handle. 8mm square spindle required.

	A	B	C	D	E	F	G	H
0860/001	Left hand				Weight 270g/9.5oz			
0860/002	Right hand (shown)							
METRIC (mm)	51	86	16	45	16	56	5	19
IMPERIAL (ins)	2	3.4	0.63	1.77	0.63	2.21	0.2	0.75



0860/002, right hand shown.

PLANT-ON, SLAM LOCK

Pressed steel case and handle. Malleable iron tongue.

	A	B	C	D	E	F	G	H
2121/001	Self colour, non locking				Weight 310g/11oz			
2121/002	Self colour, locking							
2121/003	Zinc plated, non locking							
2121/004	Zinc plated, locking							
METRIC (mm)	51	84	20	38	10	104	19	5
IMPERIAL (ins)	2	3.31	0.8	1.5	0.39	4.1	0.75	0.2



2121/004 locking shown.

PLANT-ON, SLAM LOCK

Zinc plated pressed steel case with plastic back plate and nylon tongue. Plastic dip-coated handle. (Type B shown).

	A	B	C	D	E	F	G	H
2400/001	Type A - no handle				Weight 190g/6.7oz			
2400/002	Type B - no handle							
2410/001	Type A - with handle				Weight 280g/10oz			
2410/002	Type B - with handle							
METRIC (mm)	92	65	27	46	17	90	8	8
IMPERIAL (ins)	3.62	2.6	1.06	1.81	0.67	3.54	0.32	0.32



2410/002 type 'B' shown.



0891/001 left hand shown.

		PLANT-ON, SLAM LOCK							
		Pressed steel case and handle. Malleable iron tongue. (Left hand shown).							
		A	B	C	D	E	F	G	H
0891/001	Zinc plated, left hand	Weight 300g/10.6oz							
0891/002	Zinc plated, right hand								
0891/005	Self colour, left hand								
0891/006	Self colour, right hand								
METRIC	(mm)	52.0	88.0	17.0	37.0	20.0	87.0	9.00	20.0
IMPERIAL	(ins)	2.05	3.50	0.67	1.46	0.80	3.43	0.35	0.79



2115/001 left hand shown.

		PLANT-ON, SLAM LOCK							
		Pressed steel case with malleable iron tongue and PVC dip-coated handle. (Left hand shown).							
		A	B	C	D	E	F	G	H
2115/001	Zinc plated, left hand	Weight 370g/13.1oz							
2115/002	Zinc plated, right hand								
2115/003	Black enamelled, left hand								
2115/004	Black enamelled, right hand								
METRIC	(mm)	70.0	87.0	16.0	42.0	16.0	80.0	7.00	38.0
IMPERIAL	(ins)	2.76	3.43	0.63	1.65	0.63	3.15	0.28	1.50