


• EXTRUDED SEALS •




4767/001

'Sponge strip'
50m coil

Material = EPDM
Width (A) = 18 mm
Seal depth (B) = 17 mm
Base width (C) = 11.5 mm

• EXTRUDED SEALS •




6318/001

'Self adhesive sponge strip'
50m coil

Material = EPDM
Width (A) = 14.3 mm
Seal depth (B) = 16 mm
Base width (C) = 15.3 mm

• EXTRUDED SEALS •




5590/0133

'Self adhesive sponge strip'
50m coil

Material = EPDM
Width (A) = 18 mm
Seal depth (B) = 9.5 mm
Base width (C) = 12.5mm

• EXTRUDED SEALS •




6324/002

'Self adhesive top tube seal'
50m coil

Material = EPDM
Base width (A) = 11mm
base height (B) = 4mm
Seal height (C) = 16.8mm

• EXTRUDED SEALS •




4833/003

'Top tube seal'
25m coil

Material = EPDM
Carrier depth (D) = 12 mm
Seal depth (S) = 16 mm
Grip range (G) = 1.0 - 2.0 mm

• EXTRUDED SEALS •




4833/0032

'Top tube seal'
25m coil

Material = EPDM
Carrier depth (D) = 12 mm
Seal depth (S) = 19 mm
Grip range (G) = 1.0 - 3.5 mm

• EXTRUDED SEALS •




4873/001

'Top tube seal'
50m coil

Material = EPDM
Carrier depth (D) = 12 mm
Seal depth (S) = 15 mm
Grip range (G) = 0.5 - 1.5 mm

• EXTRUDED SEALS •




4873/003

'Top tube seal'
25m coil

Material = EPDM
Carrier depth (D) = 11 mm
Seal depth (S) = 25 mm
Grip range (G) = 0.5 - 1.5 mm

• EXTRUDED SEALS •



4974/003

'Top tube seal'
50m coil

Material = EPDM
Carrier depth (D) = 12 mm
Seal depth (S) = 18 mm
Grip range (G) = 1.5 - 2.5 mm

The above profiles represent only a small part of an extensive range, if the profile you require is not shown please contact us with your requirements.

• EXTRUDED SEALS •

5241/7634
 'Top tube seal'
 76m coil
 Material = PVC/EPDM
 Carrier depth (D) = 13.8 mm
 Seal depth (S) = 16 mm
 Grip range (G) = 9.5 mm

• EXTRUDED SEALS •

5241/7635
 'Top tube seal'
 76m coil
 Material = PVC/EPDM
 Carrier depth (D) = 13 mm
 Seal depth (S) = 16 mm
 Grip range (G) = 12.5 mm

• EXTRUDED SEALS •

5245/3623
 'Jumbo top tube seal'
 30m coil
 Material = PVC/EPDM
 Carrier depth (D) = 21 mm
 Seal depth (S) = 17 mm
 Grip range (G) = 16 mm

• EXTRUDED SEALS •

5245/3633
 'Jumbo top tube seal'
 30m coil
 Material = PVC/EPDM
 Carrier depth (D) = 19 mm
 Seal depth (S) = 17 mm
 Grip range (G) = 19 mm

• EXTRUDED SEALS •

6239/001
 'Top tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 9 mm
 Seal depth (S) = 10 mm
 Grip range (G) = 1.5 - 2.5 mm

• EXTRUDED SEALS •

6244/001
 'Top tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 11 mm
 Seal depth (S) = 11 mm
 Grip range (G) = 1.0 - 2.0 mm

• EXTRUDED SEALS •

6278/001
 'Top tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 9 mm
 Seal depth (S) = 15 mm
 Grip range (G) = 0.5 - 1.5 mm

• EXTRUDED SEALS •

6288/001
 'Top tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 13.5 mm
 Seal depth (S) = 19 mm
 Grip range (G) = 2.0 - 3.0 mm

• EXTRUDED SEALS •

6288/002
 'Top tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 13 mm
 Seal depth (S) = 17 mm
 Grip range (G) = 2.0 - 3.0 mm

The above profiles represent only a small part of an extensive range, if the profile you require is not shown please contact us with your requirements.

• EXTRUDED SEALS •

6300/001
 'Top leaf seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 13 mm
 Seal depth (S) = 17 mm
 Grip range (G) = 2.0 - 3.0 mm

• EXTRUDED SEALS •

6320/001
 'Top tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 9 mm
 Seal depth (S) = 6.5 mm
 Grip range (G) = 0.8 - 2.5 mm

• EXTRUDED SEALS •

6320/050
 'Top tube seal'
 50m coil
 Material = Rubber
 Carrier depth (D) = 11 mm
 Seal depth (S) = 10 mm
 Grip range (G) = 1.0 - 3.5 mm

• EXTRUDED SEALS •

6323/001
 'Top tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 15 mm
 Seal depth (S) = 18 mm
 Grip range (G) = 5.0 - 6.0 mm

• EXTRUDED SEALS •

6325/001
 'Top tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 7.5 mm
 Seal depth (S) = 12.5 mm
 Grip range (G) = 0.5 - 1.0 mm

• EXTRUDED SEALS •

4855/002
 'Side tube seal'
 50m coil
 Material = PVC/EPDM
 Carrier depth (D) = 12 mm
 Seal depth (S) = 19 mm
 Grip range (G) = 2.0 - 3.0 mm

• EXTRUDED SEALS •

4855/004
 'Side tube seal'
 50m coil
 Material = PVC/EPDM
 Carrier depth (D) = 13 mm
 Seal depth (S) = 20 mm
 Grip range (G) = 0.8 - 3.0 mm

• EXTRUDED SEALS •

4885/001
 'Side tube seal'
 50m coil
 Material = PVC/EPDM
 Carrier depth (D) = 12 mm
 Seal depth (S) = 16 mm
 Grip range (G) = 0.5 - 1.5 mm

• EXTRUDED SEALS •

4886/001
 'Side tube seal'
 50m coil
 Material = Rubber
 Carrier depth (D) = 10 mm
 Seal depth (S) = 14 mm
 Grip range (G) = 2.5 - 3.5 mm

The above profiles represent only a small part of an extensive range, if the profile you require is not shown please contact us with your requirements.

• EXTRUDED SEALS •

4967/004
"Side tube seal"
50m coil
Material = PVC/EPDM
Carrier depth (D) = 12 mm
Seal depth (S) = 20 mm
Grip range (G) = 1.0 - 2.5 mm

• EXTRUDED SEALS •

5241/7614
"Side tube seal"
76m coil
Material = PVC/EPDM
Carrier depth (D) = 13.8 mm
Seal depth (S) = 22 mm
Grip range (G) = 9.5 mm

• EXTRUDED SEALS •

5241/7615
"Side tube seal"
76m coil
Material = PVC/EPDM
Carrier depth (D) = 13 mm
Seal depth (S) = 20 mm
Grip range (G) = 12.5 mm

• EXTRUDED SEALS •

5245/3621
"Jumbo side tube seal"
30m coil
Material = PVC/EPDM
Carrier depth (D) = 12 mm
Seal depth (S) = 25 mm
Grip range (G) = 16 mm

• EXTRUDED SEALS •

5245/3625
"Jumbo top tube seal"
30m coil
Material = PVC/EPDM
Carrier depth (D) = 21 mm
Seal depth (S) = 25 mm
Grip range (G) = 16 mm

• EXTRUDED SEALS •

5245/3631
"Jumbo top tube seal"
30m coil
Material = PVC/EPDM
Carrier depth (D) = 19 mm
Seal depth (S) = 28 mm
Grip range (G) = 19 mm

• EXTRUDED SEALS •

5245/3635
"Jumbo side tube seal"
30m coil
Material = PVC/EPDM
Carrier depth (D) = 19 mm
Seal depth (S) = 28 mm
Grip range (G) = 19 mm

• EXTRUDED SEALS •

6241/001
"Side tube seal"
50m coil
Material = EPDM
Carrier depth (D) = 13 mm
Seal depth (S) = 19 mm
Grip range (G) = 2.0 - 3.0 mm

• EXTRUDED SEALS •

6272/001
"Side tube seal"
25m coil
Material = PVC/EPDM
Carrier depth (D) = 10 mm
Seal depth (S) = 14 mm
Grip range (G) = 2.0 - 3.0 mm

The above profiles represent only a small part of an extensive range, if the profile you require is not shown please contact us with your requirements.

• EXTRUDED SEALS •

6279/001
 'Side tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 12 mm
 Seal depth (S) = 20 mm
 Grip range (G) = 1.5 - 2.5 mm

• EXTRUDED SEALS •

6279/902
 'Side tube seal'
 50m coil
 Material = Neoprene
 Carrier depth (D) = 12 mm
 Seal depth (S) = 20 mm
 Grip range (G) = 1.5 - 2.5 mm

• EXTRUDED SEALS •

6302/001
 'Side tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 13 mm
 Seal depth (S) = 24 mm
 Grip range (G) = 2.0 - 3.0 mm

• EXTRUDED SEALS •

6305/001
 'Side leaf seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 12 mm
 Seal depth (S) = 18 mm
 Grip range (G) = 2.0 - 3.0 mm

• EXTRUDED SEALS •

6316/001
 'Side tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 14 mm
 Seal depth (S) = 21 mm
 Grip range (G) = 3.5 - 5.0 mm

• EXTRUDED SEALS •

6317/001
 'Side tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 15 mm
 Seal depth (S) = 18 mm
 Grip range (G) = 4.0 - 6.0 mm

• EXTRUDED SEALS •

6319/001
 'Side tube seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 10 mm
 Seal depth (S) = 12 mm
 Grip range (G) = 1.0 - 3.0 mm

• EXTRUDED SEALS •

6326/001
 'Double side tube seal'
 25m coil
 Material = EPDM
 Carrier depth (D) = 13.5 mm
 Seal depth (S) = 29 mm
 Grip range (G) = 1.0 - 3.0 mm

• EXTRUDED SEALS •

6328/001
 'Side tube seal'
 25m coil
 Material = Neoprene
 Carrier depth (D) = 12 mm
 Seal depth (S) = 18.7 mm
 Grip range (G) = 1.5 - 2.5 mm

The above profiles represent only a small part of an extensive range, if the profile you require is not shown please contact us with your requirements.

Extruded Seals

• EXTRUDED SEALS •

4845/001
 'Top leaf seal'
 25m coil
 Material = EPDM
 Carrier depth (D) = 12 mm
 Seal depth (S) = 41 mm
 Grip range (G) = 1.5 - 3.5 mm

• EXTRUDED SEALS •

4844/001
 'Top leaf seal'
 50m coil
 Material = EPDM
 Carrier depth (D) = 9 mm
 Seal depth (S) = 27 mm
 Grip range (G) = 1.5 - 2.5 mm

• EXTRUDED SEALS •

4896/002
 Black PVC edge trim
 50m coil
 Depth (D) = 12 mm
 Grip range (G) = 0.7 - 2.5 mm

• EXTRUDED SEALS •

4901/001
 Black PVC edge trim
 50m coil
 Depth (D) = 8 mm
 Grip range (G) = 0.5 - 1.5 mm

• EXTRUDED SEALS •

4922/001
 Black PVC edge trim
 50m coil
 Depth (D) = 10.7 mm
 Grip range (G) = 1.0 - 3.0 mm

• EXTRUDED SEALS •

4942/001
 Black PVC edge trim
 50m coil
 Depth (D) = 14.8 mm
 Grip range (G) = 4.1 mm


• EXTRUDED SEALS •

4945/001
 Black PVC edge trim
 50m coil
 Depth (D) = 12.5 mm
 Grip range (G) = 1.0 - 3.0 mm

• EXTRUDED SEALS •

4946/002
 Black PVC edge trim
 50m coil
 Depth (D) = 13 mm
 Grip range (G) = 2.5 - 4.0 mm


• EXTRUDED SEALS •



4949/002

Black PVC edge trim
50m coil
Depth (D) = 12 mm
Grip range (G) = 2.0 - 4.0 mm


• EXTRUDED SEALS •



4965/001

Black PVC edge trim
50m coil
Depth (D) = 13.3 mm
Grip range (G) = 1.0 - 3.0 mm

• EXTRUDED SEALS •



4969/001

Black PVC edge trim
50m coil
Depth (D) = 12 mm
Grip range (G) = 1.5 - 3.0 mm


• EXTRUDED SEALS •



4977/002

Black PVC edge trim
50m coil
Depth (D) = 8 mm
Grip range (G) = 1.0 - 2.0 mm


• EXTRUDED SEALS •



4945/005

Grey PVC edge trim
50m coil
Depth (D) = 12.5 mm
Grip range (G) = 1.0 - 3.0 mm


• EXTRUDED SEALS •



5240/0508

Black PVC edge trim
76m coil
Depth (D) = 11.5 mm
Grip range (G) = 4.7 mm


• EXTRUDED SEALS •



5240/0509

Black PVC edge trim
76m coil
Depth (D) = 10.5 mm
Grip range (G) = 6.3 mm


• EXTRUDED SEALS •



5240/0910

Black PVC edge trim
76m coil
Depth (D) = 14.75 mm
Grip range (G) = 8 mm


• EXTRUDED SEALS •



5240/0911

Black PVC edge trim
76m coil
Depth (D) = 14 mm
Grip range (G) = 9.5 mm


• EXTRUDED SEALS •



5240/0912

Black PVC edge trim
76m coil
Depth (D) = 13 mm
Grip range (G) = 12.5 mm


• EXTRUDED SEALS •



5244/2000

Black 'Jumbo' PVC edge trim
30m coil
Depth (D) = 21 mm
Grip range (G) = 16 mm

• EXTRUDED SEALS •



5244/3000

Black 'Jumbo' PVC edge trim
30m coil
Depth (D) = 19 mm
Grip range (G) = 19 mm