


CENTAUR LIGHTWEIGHT, BOLT-ON DOOR GEAR - UNBUSHED		
<i>For Ø21.1mm tubing (see below)</i>		
1-15/001	Left hand door gear	Weight 1.8kg/4lb
<i>Zinc plated</i>		
1-15/002	Right hand door gear	Weight 1.8kg/4lb
<i>Zinc plated</i>		
<i>Kit comprises of:</i>		
2 x universal keepers		
1 x right hand cam		
1 x left hand cam		
3 x outer tube guide supports		
3 x inner tube guide supports		
2 x anti-rack collars		
1 x retainer plate		
1 x bush		
1 x swivel catch		
1 x rivet		
1 x lever mount		
1 x lever handle (left or right hand)		
1-15/005	Galvanised steel tubing - Ø21.1mm	
2.4m (8') long, 2.6mm wall thickness		

UNIVERSAL LIGHTWEIGHT, BOLT-ON DOOR GEAR - UNBUSHED		
<i>For Ø22mm tubing (see below)</i>		
1999/01000	Universal door gear	Weight 2.4kg/5.3lb
<i>304 stainless steel</i>		
<i>Kit comprises of:</i>		
2 x universal keepers		
2 x universal cams		
2 x anti rack rings		
3 x outer tube guide supports (zinc plated steel)		
3 x inner tube guide supports (nylon)		
3 x outer tube guide back plates		
1 x forged handle		
1 x lever mount		
1 x rivet		
1 x retainer plate		
1 x swivel catch		
1 x bush		
1999/018	304 Stainless steel tubing - Ø22mm	
3.0m (8') long, 1.5mm wall thickness		

UNIVERSAL, BOLT-ON DOOR GEAR - BUSHED		
<i>For Ø22mm tubing (see below)</i>		
2004/100	Universal door gear	Weight 2.2kg/4.9lb
<i>304 stainless steel</i>		
<i>Kit comprises of:</i>		
2 x universal keepers		
2 x universal cams		
2 x anti rack rings		
3 x outer tube guide supports		
3 x black nylon bushes		
1 x pressed handle (dipped plastic grip)		
1 x lever mount		
1 x rivet		
1 x handle retainer assembly		
1999/018	304 Stainless steel tubing - Ø22mm	
3.0m (8') long, 1.5mm wall thickness		



ZINC PLATED

1-15/001 left hand shown suitable for Ø21.1mm tube




STAINLESS STEEL

Universal Door Gear suitable for Ø22mm Tube




STAINLESS STEEL

Universal Door Gear suitable for Ø22mm Tube



Universal Door Gear suitable for Ø27mm Tube

UNIVERSAL, BOLT-ON DOOR GEAR - UNBUSHED		
<i>For Ø27mm tubing (see below)</i>		
2000/2000	Universal door gear	Weight 4.9kg/10.8lb
Zinc plated steel		
Kit comprises of:		
2 x universal keepers		
2 x universal cams		
2 x large outer bearing brackets		
2 x large outer bearing bracket back plates		
2 x small outer bearing brackets		
2 x small outer bearing bracket back plates		
1 x forged handle		
1 x lever mount		
1 x rivet		
1 x retainer plate		
1 x swivel catch		
1 x bush		
0977/002	Galvanised steel tubing - Ø27mm	
2.6m (8'6") long, 3mm wall thickness		



Universal Door Gear suitable for Ø27mm Tube

UNIVERSAL, BOLT-ON DOOR GEAR - BUSHED		
<i>For Ø27mm tubing (see below)</i>		
2000/2000MN	Universal door gear	Weight 4.6kg/10.1lb
Zinc plated steel		
Kit comprises of:		
2 x universal keepers		
2 x universal cams		
2 x large outer bearing brackets		
2 x large nylon bushes		
2 x small outer bearing brackets		
2 x small nylon bushes		
1 x forged handle		
1 x lever mount		
1 x rivet		
1 x retainer plate		
1 x swivel catch		
1 x bush		
0977/002	Galvanised steel tubing - Ø27mm	
2.6m (8'6") long, 3mm wall thickness		

UNIVERSAL, BOLT-ON DOOR GEAR - BUSHED - FORGED HANDLE		
<i>For Ø27mm tubing (see below)</i>		
1999/2010N10	Universal door gear	Weight 3.8kg/8.4lb
304 Stainless steel		
Kit comprises of:		
2 x universal narrow base keepers		
2 x universal cams		
2 x large outer bearing brackets		
2 x small outer bearing brackets		
6 x grey nylon bushes		
2 x anti rack rings		
1 x forged handle		
1 x lever mount		
1 x rivet		
1 x retainer plate		
1 x swivel catch		
1 x bush		
1999/019	304 Stainless steel tubing - Ø27mm	
2.6m (8'6") long, 2.5mm wall thickness		



STAINLESS STEEL

Universal Door Gear suitable for Ø27mm Tube


UNIVERSAL, BOLT-ON DOOR GEAR - BUSHED - D GRIP HANDLE		
<i>For Ø27mm tubing (see below)</i>		
1999/2010N20	Universal door gear	Weight 3.8kg/8.4lb
304 Stainless steel		
Kit comprises of:		
2 x universal narrow base keepers		
2 x universal cams		
2 x large outer bearing brackets		
2 x small outer bearing brackets		
6 x grey nylon bushes		
2 x anti rack rings		
1 x D grip handle		
1 x lever mount		
1 x rivet		
1 x retainer plate		
1 x swivel catch		
1 x bush		
1999/019	304 Stainless steel tubing - Ø27mm	
2.6m (8'6") long, 2.5mm wall thickness		



STAINLESS STEEL

Universal Door Gear suitable for Ø27mm Tube

UNIVERSAL, WELD-ON DOOR GEAR - BUSHED		
<i>For Ø34mm tubing (see below)</i>		
1999/2588	Universal door gear	Weight 4.4kg/9.7lb
Self colour steel		
Kit comprises of:		
2 x universal keepers		
2 x universal cams		
2 x large outer bearing brackets		
2 x large black nylon bushes		
2 x small outer bearing brackets		
2 x small black nylon bushes		
1 x forged handle		
1 x lever mount		
1 x rivet		
1 x handle retainer assembly		
1999/02500	Self colour steel tubing - Ø34mm	
2.5m long, 3mm wall thickness		



SELF COLOUR

Universal Door Gear suitable for Ø34mm Tube



STAINLESS STEEL

Universal Door Gear suitable for Ø34mm Tube

UNIVERSAL, BOLT-ON DOOR GEAR - UN-BUSHED		
<i>For Ø34mm tubing (see below)</i>		
1999/3500	Universal door gear	Weight 7.2kg/15.9lb
304 Stainless steel		
Kit comprises of:		
2 x universal keepers		
2 x universal cams		
2 x large outer bearing brackets		
2 x large outer bearing brackets back plates		
2 x small outer bearing brackets		
2 x small outer bearing brackets back plates		
2 x anti rack rings		
1 x forged handle		
1 x lever mount		
1 x rivet		
1 x retainer plate		
1 x swivel catch		
1 x bush		
1999/3000	304 Stainless steel tubing - Ø34mm	
3m long, 3mm wall thickness		



STAINLESS STEEL

Universal Door Gear suitable for Ø34mm Tube

UNIVERSAL, BOLT-ON DOOR GEAR - BUSHED		
<i>For Ø34mm tubing (see below)</i>		
1999/25660	Universal door gear	Weight 4.5kg/9.9lb
304 Stainless steel		
Kit comprises of:		
2 x universal keepers		
2 x universal cams		
2 x large outer bearing brackets		
2 x large grey nylon bushes		
2 x small outer bearing brackets		
2 x small grey nylon bushes		
2 x anti rack rings		
1 x forged handle		
1 x lever mount		
1 x rivet		
1 x retainer plate		
1 x swivel catch		
1 x bush		
1999/3000	304 Stainless steel tubing - Ø34mm	
3m long, 3mm wall thickness		